


Digital A-Frame

Our portable, digital sandwich board delivers an engaging, adaptable, and budget-friendly way to grab attention, showcase your top offers, and keep customers coming back time after time.



**Battery
Powered**

**Up to
2500 NITS
Brightness**

**Indoor or
Outdoor
Option**

**Built-In
Android**

**Portable
with
Locking Bar**


**Anti-Glare
Tempered
Glass**

JTECH[®]

✉ wecare@jtech.com

🌐 www.JTECH.com

☎ 800.321.6221



JTECH®

✉ wecare@jtech.com

🌐 www.JTECH.com

☎ 800.321.6221

SPECIFICATIONS

Model Number	LSR13001041	LSR13001043
Panel	43inch	43inch
LCD Panel Type Resolution	1920*1080	1920*1080
Backlight	LED	LED
Brightness	1500 nits	2500 nits
Contrast Ratio	1200:1	1200:1
Color Depth	8 bits	8 bits
Response Time	8 ms (typ)	8 ms (typ)
Viewing Angle	178° / 178°	178° / 178°
Light Life Time	50,000 hrs (typ.)	50,000 hrs (typ.)
Power	Charger with power input 110V or 220V, 50 Hz / 60 Hz	
Rechargeable Battery	43.2Ah battery capability	62.4Ah battery capability
Charing time	4.5 hours	8 hours
Power Consumption	<98W	<135W
User Interface		
Language	English / Multi Language option	
Environment		
Operating Temperature	-20°C ~ 60°C	
Storage Temperature	-10°C ~ 60°C	
Humidity	10% ~ 80% RH Non-condensing	
Internal Player		
Processor	ARM Quad-Core Cortex-A55 up to 1.9GHz	
Main memory	2GB DDR3	
Interface Graphics	Mali-G31 GPU	
Storage (FDM) Multimedia	eMMC 16GB(about 2GB occupied by o/s)	
IO ports	265; Encoder: 1080P 100fps H.265/H.264 USB 2.0 x2, RJ45 x 1, HDMI in	
Operating system	Android 9.0	
Network Environment	WLAN 802.11 b/g/n (2.4GHz) ,RJ45	
Certification	CE, FCC&Rohs	
Mechanical Specs		
Orientation	Portrait	
Cabinet Color	Black	
Product Dimension (LxHxD) (Inches)	54.3x11x28.1	
CTN Dimension (LxHxD) (Inches)	49.5x23.4x7.1	49.5x23.4x7.2
Weight (N.W)	95 lb	104 lb
Weight (G.W/ Carton)	106 lb	126 lb



1965 Evergreen Blvd, Suite 300
Duluth GA 30096

wecare@jtech.com

www.JTECH.com

800.321.6221